	Hits	Search Text	DBs
1	4	(("5881056") or ("5764687")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	48	(("5923385") or ("5956369") or ("5889815") or ("5707058") or ("5754541") or ("5940432") or ("6072822") or ("6075809") or ("6108370") or ("6163563") or ("6222834") or ("6222834") or ("6345045") or ("6363108") or ("6600729") or ("6370184") or ("6351758") or ("6229852") or ("4922418") or ("5926208") or ("6233277") or ("4935867") or ("5440705") or ("5603012") or ("5703793") or ("5740460") or ("5768561") or ("5768629") or ("5784631") or ("5798719") or ("5809270") or ("5829007") or ("5842033") or ("5956519") or ("5963154") or ("5978592") or ("5995727") or ("6018776") or ("6035126") or ("6038380") or ("6047112") or ("6067417") or ("6079009") or ("6112017") or ("6119213") or ("6141721") or ("6217234") or ("6217234") or ("4275452") or ("5801973")).PN.	US-PGPUB; USPAT
3	28	S2 and decimat$5 and (mem$5 or stor$5) and interpola$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
4	12	("5451949" | "5627601" | "5777677" | "5777812" | "5818530" | "5844614" | "5862266" | "6005983").PN. OR ("6233277").URPN.	US-PGPUB; USPAT; USOCR
5	1	S2 and memor$5 and de?spread$5 and (rak$5 near2 finger$5)	US-PGPUB; USPAT; USOCR
6	3	S2 and (memor$5 or buffer$5) and (select$5 or choos$5 or choic$5 or pick$5) and (rak$5 near2 finger$5)	US-PGPUB; USPAT; USOCR
7	2	S2 and (memor$5 or buffer$5) and despread$5 and (rak$5 near2 finger$5)	US-PGPUB; USPAT; USOCR
8	94	(spread$5 near2 spectrum$5) and decimat$5 and (mem$5 or stor$5) and interpola$5 and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	2	(spread$5 near2 spectrum$5) and (decimat$5 near2 (mem$5 or stor$5 or buff$5)) and ((mem$5 or stor$5 or buff$5) near2 interpola$5) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	27	communica$10 and (decimat$5 near2 (mem$5 or stor$5 or buff$5)) and ((mem$5 or stor$5 or buff$5) near2 interpola$5) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	1	communica$10 and (programabl$5 near2 decimat$5) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
12	0	(spread$5 near2 spectrum$5) and (programabl$5 near2 decimat$5) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	143	((programabl$5 or adjust$5) near2 decimat$5) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	0	(hard-coded near2 interpola$5) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	0	(hard?cod$3 near2 interpola$5) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	363	((hard?cod$3 or fix$5) near2 interpola$5) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	2632	((hard?cod$3 or fix$5 or set$5 or unadjust$5 or non?adjust$5) near2 interpola$5) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	10	(spread$2 near2 spectrum$2) and ((hard?cod$3 or fix$5 or set$5 or unadjust$5 or non?adjust$5) near2 interpola$5) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	40	(spread$2 near2 spectrum$2) and ((hard?cod$3 or cod$5 or fix$5 or set$5 or unadjust$5 or non?adjust$5) near2 interpola$5) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
20	10	(spread$2 near2 spectrum$2) and ((hard?cod$3 or fix$5 or set$5 or unadjust$5 or non?adjust$5) near2 interpola$5) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	30	S20 not S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	9	(spread$2 near2 spectrum$2) and (single near2 port near2 (memor$5 or buffer$5 or ram$2)) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	28	(interpola$5 and decima$5) and (single near2 port near2 (memor$5 or buffer$5 or ram$2)) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	21	(interpola$5 and decima$5 and communica$5) and (single near2 port near2 (memor$5 or buffer$5 or ram$2)) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	15	(US-5889815-$ or US-6005983-$ or US-6163563-$ or US-6233277-$ or US-6240299-$ or US-6594715-$ or US-6697603-$ or US-6704358-$ or US-6760478-$ or US-6295546-$ or US-6292589-$ or US-6026217-$ or US-5995080-$ or US-5986913-$ or US-5778024-$).did.	USPAT
26	0	S26 and circula$5 near2 buffer$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
27	114	(interpola$5 and decima$5 and communica$5) and (circula$5 near2 (memor$5 or buffer$5 or ram$2)) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	0	spread$5 same interpola$5 same decima$5 same (circul$5 near2 buffer$5) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	1	spread$5 same interpola$5 same decima$5 same (circul$5 near2 buffer$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	0	spread$5 same interpola$5 same decima$5 same (buffer$5 or memor$5 or cache$5) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	1	spread$5 same interpola$5 same decima$5 same (stor$5 or sav$5 or buffer$5 or memor$5 or cache$5) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	22	spread$5 same interpola$5 same decima$5 and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	46	(interpola$5 and decima$5 and communica$5) and (circula$5 near2 (memor$5 or buffer$5 or ram$2)) and spread$5 and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	1	(interpola$5 and decima$5 and communica$5) and (circula$5 near2 (memor$5 or buffer$5 or ram$2)) and spread$5 and rake and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
35	94	(rake near2 fingers) and memor$5 and select$5 and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	3	((rake near2 fingers) same memor$5 same select$5) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	48	(("5923385") or ("5956369") or ("5889815") or ("5707058") or ("5754541") or ("5940432") or ("6072822") or ("6075809") or ("6108370") or ("6163563") or ("6222834") or ("6222834") or ("6345045") or ("6363108") or ("6600729") or ("6370184") or ("6351758") or ("6229852") or ("4922418") or ("5926208") or ("6233277") or ("4935867") or ("5440705") or ("5603012") or ("5703793") or ("5740460") or ("5768561") or ("5768629") or ("5784631") or ("5798719") or ("5809270") or ("5829007") or ("5842033") or ("5956519") or ("5963154") or ("5978592") or ("5995727") or ("6018776") or ("6035126") or ("6038380") or ("6047112") or ("6067417") or ("6079009") or ("6112017") or ("6119213") or ("6141721") or ("6217234") or ("6217234") or ("4275452") or ("5801973")).PN.	US-PGPUB; USPAT
38	2	S38 and ((rake near2 fingers) and memor$5 and select$5) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
39	21	((circular$5 near2 (buffer$5 or memor$5 or cache$5 or stor$5)) with resis$5) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	1	"6363470".pn. and (resis$5 with (circul$5 near2 buff$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	1	"6363470".pn. and (regis$5 with (circul$5 near2 buff$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	1	(de?spread$5 same (multiplex$5) same (memor$5 or buff$5 or cache$5) same (rak$5 near2 finger$5)) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	1	(de?spread$5 same (multiplex$5) same (rak$5 near2 finger$5)) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	2	(de?spread$5 same (multiplex$5)) and (rak$5 near2 finger$5) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	2	(de?spread$5 same (mux or (multiplex$5))) and (rak$5 near2 finger$5) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	58	(de?spread$5 with (mux or (multiplex$5))) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	0	(de?spread$5 with (mux or (multiplex$5))) and bus$5 and finger$5 and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
48	3	(de?spread$5 with (mux or (multiplex$5))) and finger$5 and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	3	(de?spread$5 same (mux or (multiplex$5))) and finger$5 and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	18	(de?spread$5 with (mux or (multiplex$5))) and bus$5 and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	0	(mux or (multiplex$5)) same bus$5 same (rak$5 near2 finger$5) and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	31924	(mux or (multiplex$5)) same bus$5 and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	4	"5881056".pn. or "5764687".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	2	"6459883".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	44	(375/130, 375/150, 375/377, 370/342, 711/220, 369/60.01, 369/69, 369/272.1, 370/310, 711/1, 711/100, 711/101, 711/104, 711/170, 711/173).ccls. and decimat$5 and (mem$5 or stor$5) and interpola$5 and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
56	44	(375/130, 375/150, 375/377, 370/342, 711/220, 369/60.01, 369/69, 369/272.1, 370/310, 711/1, 711/100, 711/101, 711/104, 711/170, 711/173).ccls. and decimat$5 and (mem$5 or stor$5) and interpola$5 and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	21	(US-5138452-$ or US-5778024-$ or US-5889815-$ or US-5986913-$ or US-5995080-$ or US-6005983-$ or US-6026217-$ or US-6088324-$ or US-6163563-$ or US-6233277-$ or US-6240299-$ or US-6292589-$ or US-6295546-$ or US-6363470-$ or US-6594715-$ or US-6639906-$ or US-6650694-$ or US-6674536-$ or US-6697603-$ or US-6704358-$ or US-6760478-$).did.	USPAT
58	6	S58 and (spread$7 near2 spectrum$7)	USPAT
59	0	S58 and ((spread$7 near2 spectrum$7) with decimat$7)	USPAT
60	0	S58 and ((spread$7 near2 spectrum$7) same decimat$7)	USPAT
61	4	S58 and ((spread$7 near2 spectrum$7) and decimat$7)	USPAT
62	32	holmes-david.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	2	medlock-joel.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
64	9	rieken-keith.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	18	medlock-joel-$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	0	rieken-keith-$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	255	holmes-david-$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	305	S63 or S64 or S65 or S66 or S67 or S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	74	S69 and spectrum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	9	S69 and spectrum and rake	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB